

In the Claims

The status of claims in the case is as follows:

Sub B!

1. [Currently amended] A method for browsing in
collaboration space, comprising the steps of:

presenting to a user at a browser an interface to said
collaboration space;

providing in a main window in said interface a quick
browse selector on a searchable object;

responsive to user selection of said quick browse
selector,

searching said searchable object to generate a set
of hits,

creating a set of links to said set of hits to
control said main window without losing context,

displaying said context in a separate quick browse

A3

14 window within said main window in a simpler
15 format, with an entry in said separate quick
16 browse window for each item in said set of hits;
17 and

18 responsive to user selection of an item in said quick
19 browse window context, displaying in said main window
20 an object linked to said item.

1 2. [Original] The method of claim 1, further comprising
2 the step of organizing said collaboration space according to
3 an object model selectively including place, room, folder,
4 page, member, form, field, placetype, roomtype, skin, and
5 placebot objects.

1 3. [Original] The method of claim 1, said simpler format
2 being a hypertext markup language format.

1 4. [Original] The method of claim 3, further comprising
2 the step of implementing said object as a room in said
3 collaboration space.

1 5. [Original] The method of claim 3, further comprising
2 the step of implementing said quick browse selector as a
3 remote control selector in a search results window.

1 6. [Original] The method of claim 5, further comprising
2 the step responsive to user selection of a link to a target
3 page in said quick browse window, of reloading said main
4 window with said target page.

A3
1 7. [Original] The method of claim 3, further comprising
2 the step of implementing said quick browse selector as a
3 remote control selector in a what's new window.

1 8. [Original] The method of claim 7, further comprising
2 the step responsive to user selection of said quick browse
3 selector of enabling random access browsing of links in said
4 quick browse window.

1 9. [original] The method of claim 8, said links being to
2 objects in a plurality of rooms.

1 10. [Original] The method of claim 3, further comprising
2 the step of implementing said quick browse selector as go
3 there links from a tutorial window, as go there links from a
4 help window, and as go there links from a site map.

A3
1 11. [Original] The method of claim 10, further comprising
2 the step of generating said site map as a simple rendering
3 of an access controlled table of context hierarchy.

1 12. [Original] The method of claim 1, further comprising
2 the steps of:

3 displaying said quick browse window in minimal screen
4 space while said user browses target pages and allowing
5 said user to see and access local settings of said
6 target page so as to display context of said target
7 page.

1 13. [Original] The method of claim 12, said context
2 selectively including a table of contents, location, folder,
3 parent, responses, ancestors, and/or revisions of said
4 target page.

1 14. [Currently amended] A system for browsing within
2 collaboration space, comprising:

3 a browser for displaying a user interface in a main
4 window;

5 a separate, floating quick browse window;

6 a remote control mechanism displayed in any context in
7 said user interface supporting a quick browse feature
8 for displaying in said quick browse window responsive
9 to a user initiated search links to linked pages
10 resulting from hits from said search;

11 said quick browse feature redirecting said main window
12 to a linked page upon user selection of [[said]] a link
13 from said quick browse window.

1 15. [Original] The system of claim 14, said collaboration
2 space being organized according to an object model
3 selectively including place, room, folder, page, member,
4 form, field, placetype, roomtype, skin, and placebot
5 objects.

1 16. [Original] The system of claim 14, said context
2 including search results and what's new contexts.

A³
1 17. [Original] The system of claim 16, said context
2 including help and tutorial windows.

1 18. [Original] The system of claim 14, further comprising:

2 said quick browse window being opened responsive to
3 user selection of said remote control mechanism;

4 said link being opened in said main window responsive
5 to said user selection of said link;

6 said quick browse window further providing a remote

7 control on said main window with said links displayed
8 in said quick browse window while said user browses
9 selected links in said main window.

1 /19. [Currently amended] A program storage device readable
2 by a machine, tangibly embodying a program of instructions
3 executable by a machine to perform method steps for browsing
4 in collaboration space, said method steps comprising:

5 presenting to a user at a browser an interface to said
6 collaboration space;

7 providing in a main window in said interface a quick
8 browse selector;

9 responsive to user selection of said quick browse
10 selector,

11 searching said collaboration space to generate a
12 set of hits,

13 creating a set of links to said set of hits to
14 control said main window without losing context,

15 displaying said context in a separate quick browse
16 window in a simpler format; and
17 responsive to user selection of an item in said ~~context~~
18 quick browse window, displaying in said main window an
19 object linked to said item.

1 / 20. [Canceled]